

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product Name: CHLOROCLEAN ULTRA LC830

Synonyms: UN 3266, CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.

Use: Detergent, Sanitiser, Cleaner **Supplier:** Advance Chemicals

ABN: 61 005 625 025

Street Address: 4 – 8 Malton Court, Altona, 3018

Telephone Number: (03) 9398 4444

Facsimile: (03) 9398 5278

Emergency Telephone: Ted Powell (03) 9398 4444 (Business Hours)

0425 800 022 (After Hours)

2. HAZARDS IDENTIFICATION

Classified as hazardous according to criteria of the Globally Harmonised System of Classification and Labelling of Chemicals 3rd Revised Edition.

Classification of the substance or mixture:

Skin Corrosion – Sub - category 1A Hazardous to the aquatic environment (acute) – category 1

SIGNAL WORD: DANGER



Hazard Statement(s):

H314 – Causes severe skin burns and eye damage.

H400 – Very toxic to aquatic life.

Precautionary Statement(s):

Prevention:

P102 Keep out of reach of children.

P103 Read label before use.

P104 Read Safety Data Sheet before use.

P260 – Do not breathe mist/vapour/spray

P264 - Wash hands thoroughly after handling

P280 - Wear protective gloves/eye protection/ face protection.

Product name: CHLOROCLEAN ULTRA LC830

Issue date: October, 2019

Version: 6 Page 1 of 6



Response:

P301 + P3330 +P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 – IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water/shower.

P363 – Wash contaminated clothing before re-use

P321 – Specific treatment (see First Aid Measures on Safety Data Sheet)

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P312 – Call a POISON CENTRE or doctor/physician if you feel unwell

P305 + P351 + P338 – IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Storage:

P405 – Store in a well-ventilated place. Keep cool. Keep protected from direct sunlight.

Disposal:

P501: Dispose of contents/container in accordance with local waste management authority.

Poisons Schedule (Australia): 6

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Entity	C.A.S. No.	Proportion	Risk phrases
Sodium Hydroxide	1310-73-10	10 - 30%	H314
Sodium Hypochlorite (to give available CI)	7681-52-9	Less than 10%	H400
Surfactants	-	Less than 10%	
Alkaline Salts	-	Less than 10%	
Water	7732-18-5	To 100%	

4. FIRST AID MEASURES

Inhalation: Remove victim from exposure, avoid becoming a casualty. Remove contaminated clothing and loosen remaining clothing. Allow patient to assume most comfortable position and keep warm. Keep at rest until recovered. Seek medical attention.

Skin Contact: If skin contact occurs, remove contaminated clothing and wash skin thoroughly with water. See a doctor if skin irritation, swelling, and redness or blistering occurs, seek medical attention. Wash clothing before reuse.

Eye Contact: Immediately hold eyelids open and flood the eye continuously with clean cold water for at least 15 minutes. Continue flushing for at least 15 minutes until advised to stop by a Poisons Information Centre or a doctor. Get urgent medical attention.

Product name: CHLOROCLEAN ULTRA LC830

Issue date: October, 2019

Version: 6 Page 2 of 6



Ingestion: Immediately rinse mouth thoroughly with water. Do NOT induce vomiting. Give a glass of water. Repeat if vomiting occurs. If patient is not conscious do NOT give anything by mouth. Get urgent medical attention.

Medical advice: For advice, contact Poisons Information Centre, phone 131126, or call a doctor.

Notes to Doctor: Treat symptomatically for Caustic Alkali. Treat burns if present.

5. FIRE FIGHTING MEASURES

Specific Hazards: Fire or heat will produce irritating, poisonous and/or corrosive gases. Containers may explode when heated. Other combustibles may ignite. Runoff from fire control or dilution water may be poisonous and/or corrosive and pollute waterways.

Fire fighting advice: Wear SCBA and chemical splash outfit. Fully encapsulating gas-tight suits must be worn for maximum protection.

Fire Extinguishing Media: Use water fog, foam or dry agent.

Hazchem Code: 2X

Flammability: Non flammable.

6. ACCIDENTAL RELEASE MEASURES

Evacuate all unnecessary personnel. Wear protective clothing to minimise skin and eye exposure. If possible contain the spill. Place inert absorbent material onto spillage. Mop up material and place into the same container. If spillage enters the waterways contact the Environmental Protection Authority, or your Waste Management Authority.

7. HANDLING AND STORAGE

Handling advice: Open container cautiously, especially in hot weather. Avoid contact with the skin and eyes. Keep out of the mouth. Wear neoprene, latex, or PVC gloves and an eye shield.

Storage advice: Store in a cool, well ventilated place out of direct sunlight. Transport and store upright with vent at top. Keep container closed at all times. Store away from other classes of dangerous goods, Class 5, Class 8 acids, foodstuffs, and foodstuff empties.

8. EXPOSURE CONTROLS/ PERSONAL PROTECTION

Occupational Exposure Limits:

TWA (sodium hydroxide) = 2 mg/m³. TLV - TWA for chlorine is 1 ppm.

Product name: CHLOROCLEAN ULTRA LC830

Issue date: October, 2019

Version: 6 Page 3 of 6



Engineering Controls: TLV will not normally be exceeded when used as directed. There is no special ventilation requirement. DO NOT USE IN CONFINED SPACES.

Personal Protection Equipment: Wear neoprene, latex or PVC gloves and an eye shield. Wear chemical resistant clothing including a chemical resistant apron where clothing is likely to be contaminated. Avoid breathing vapour.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Clear viscous liquid with chlorine odour.

Boiling Point: > 100°C
Melting Point: Not known.
Flash Point: Non Flammable.

Vapour Pressure: 17 mm Hg @ 20 °C

Vapour Density (Air = 1): 0.6

Flammability Limits: Non Flammable.

Specific Gravity: 1.17 pH (1% dispersion): > 12

Solubility in water: Soluble in all proportions.

Corrosiveness: Corrosive to human tissue and some non-ferrous metals.

10. STABILITY AND REACTIVITY

Stability: Stable when stored in sealed containers at room temperature and containers have vented lids.

11. TOXICOLOGICAL INFORMATION

Acute Health Effects:

Ingested: Causes burns to mouth, throat and gastrointestinal tract.

Eye: Contact can cause corneal burns, possible permanent eye damage and blindness.

Skin: Causes burns to the skin.

Inhaled: Corrosive mist, vapour may be irritating if used without sufficient ventilation.

Chronic: Prolonged contact with dilute solutions may cause skin irritation.

12. ECOLOGICAL INFORMATION

Avoid contaminating waterways.

Product name: CHLOROCLEAN ULTRA LC830

Issue date: October, 2019

Version: 6 Page 4 of 6



13. DISPOSAL CONSIDERATIONS

Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes including emptied containers are controlled wastes and shall be disposed of in accordance with all federal, E.P.A, state and local regulations. Assure conformity with all applicable regulations.

14. TRANSPORT INFORMATION

UN Number: 3266

Proper Shipping Name: UN 3266, CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.

Dangerous Goods Class: 8

Subsidiary risk: none allocated.

Packing Group: III

Hazchem Code: 2X

Road and Rail Transport: Classified as Class 8 (Corrosive Liquid) Dangerous Goods by the Australian Code for the Transport of Dangerous Goods by Road and Rail.



15. REGULATORY INFORMATION

Classified as hazardous according to criteria of the Globally Harmonised System of Classification and Labelling of Chemicals 3rd Revised Edition.

Classification of the substance or mixture:

Skin Corrosion – Sub - category 1A Hazardous to the aquatic environment (acute) – category 1

SIGNAL WORD: DANGER



Product name: CHLOROCLEAN ULTRA LC830

Issue date: October, 2019

Version: 6 Page 5 of 6



Hazard Statement(s):

H314 – Causes severe skin burns and eye damage.

H400 – Very toxic to aquatic life.

Poisons Schedule: 6

16. OTHER INFORMATION

This S.D.S. is valid for 5 years from the date of issue but may be withdrawn and revised anytime prior to that date. Please ensure that you are using the latest issue.

All information contained in this Safety Data Sheet is as accurate and up-to-date as possible. Since ADVANCE CHEMICALS cannot anticipate or control the conditions under which this information can be used, each user must review this information in the specific context of the intended application.

ADVANCE CHEMICALS will not be responsible for any damage or loss of any nature resulting from the use of or reliance upon this information. No expressed or implied warranties are given other than those mandated by Commonwealth, State or Territory legislation.

Issue Date: October, 2019

Product name: CHLOROCLEAN ULTRA LC830

Issue date: October, 2019

Version: 6 Page 6 of 6